National Measurement Institute



DEUTERATED INTERNAL STANDARD PRODUCT INFORMATION SHEET

NMIA D506b: d3-Testosterone sulfate (triethylammonium salt)

Report ID: D506b.2023.01 (Ampouled 200701)

Chemical Formula: C₂₅H₄₀D₃NO₅S Molecular Weight: 472.7 g/mol

Property value

Batch No.	CAS No.	Mass per ampoule
20-S-02	Not available	974 ± 22 μg

IUPAC name: (16,16,17α-d₃)- 17β-3-Oxoandrost-4-en-17-yl sulfate, triethylammonium salt (1:1)

Expiration of certification: The property values are valid till 11 January 2026, i.e. three years from the date of re-certification provided the **unopened** material is handled and stored in accordance with the recommendations below. The material as issued in the unopened container and stored as recommended below should be suitable for use beyond this date, subject to confirmation of batch stability from the issuing body. The shelf life does not apply to ampoules that have been opened. In such cases it is recommended that the end-user conduct their own in-house stability trials.

Description: The compound is supplied as a dried aliquot in a sealed ampoule under an atmosphere of argon. The deuterated internal standard is intended for a single use to prepare a standard solution containing D506b. The material was prepared by synthesis, and certified for identity and purity by NMIA. The main component of this material is d_3 -testosterone sulfate (triethylammonium salt). d_2 -, d_1 - and d_0 -Testosterone sulfate (triethylammonium salt) are also present. The stated mass of the analyte per ampoule represents the approximate combined masses of deuterated (d_3 , d_2 and d_1) and d_0 - testosterone sulfate (triethylammonium salt) in the material.

Intended use: The isotopic purity of this material is an estimate only. This material should be considered for use as an internal standard only.


Instructions for use: Open the ampoule and carefully rinse the interior at least three times with a suitable organic solvent (e.g. acetonitrile). This will transfer approximately 974 μ g of anhydrous testosterone sulfate triethylammonium salt (d₃, d₂, d₁ and d₀). The mass of analyte in each ampoule is calculated from the assigned purity of the bulk and the concentration of bulk material in a stock solution used to prepare the ampoules.

Recommended storage: When not in use, this material should be stored at or below 4 °C in a closed container in a dry, dark area.

Stability: The long-term stability of the compound in solution has not been examined.

Homogeneity assessment: The homogeneity of the material was assessed using purity assay by HPLC with UV on seven randomly selected ampoules of the material. The material was judged to be sufficiently homogeneous at this level of sampling as the variation in analysis results between samples was not significantly different at a 95% confidence level from that observed on repeat analysis of the same sample.

Safety: Treat as a hazardous substance. Use appropriate work practices when handling to avoid skin or eye contact, ingestion or inhalation of dust. Refer to the provided safety data sheet.



Dr Stephen R. Davies, Team Leader, Chemical Reference Materials, NMI. 12 January 2023.

This report supersedes any issued prior to 12 January 2023.

NATA Accreditation No. 198 / Corporate Site No. 14214.

Legal notice: Terms and Conditions associated with the provision of this reference material can be found on the NMIA website.

Characterisation Report:

HPLC: Instrument: Thermo Scientific UltiMate 3000

Column: X-Bridge C-18, 5 µm (4.6 mm x 150 mm)

Column oven: 40 °C

Mobile Phase: A = MilliQ water; B = Acetonitrile

20 mM ammonium acetate was present only in the aqueous phase

0-14 min 25% B; 14-17 min 25-75% B; 17-22 min 75% B; 22-25 min 75-25% B, 25-30

min 25% B.

Flow rate: 1.0 mL/min

Detector: Thermo Scientific UltiMate 3000 RS PDA operating at 246 nm

Relative peak area of the main component:

Initial analysis: Mean = 99.1%, s = 0.06% (7 sub samples in duplicate, July 2020) Re-analysis: Mean = 99.1%, s = 0.02% (5 sub samples in duplicate, January 2023)

The following analytical data was obtained on the bulk material subsequently used in the preparation of the ampoules.

The identity was confirmed by a range of spectroscopic techniques, NMR, IR and MS. The purity estimate was obtained by mass balance from a combination of traditional analytical techniques, including HPLC with UV detection, thermogravimetric analysis, Karl Fischer analysis and ¹H NMR spectroscopy. The purity estimate is calculated as per Equation 1.

Purity = $(100 \% - I_{ORG}) \times (100 \% - I_{VOL} - I_{NVR})$

Equation 1

I_{ORG} = Organic impurities of related structure, I_{VOL} = volatile impurities, I_{NVR} = non-volatile residue.

Supporting evidence is provided by elemental microanalysis.

The main component of this material is d_3 -testosterone sulfate (triethylammonium salt). d_2 -, d_1 - and d_0 -Testosterone sulfate (triethylammonium salt) are also present. The stated chemical purity of the analyte represents the combined mass fractions of deuterated (d_3 , d_2 and d_1) and d_0 - testosterone sulfate (triethylammonium salt) in the material.

The isotopic purity of this material is an estimate only. This material should be considered for use as an internal standard only.

Isotopic Purity:

 $d_3 \approx 80\% [= d_3/(d_3 + d_2 + d_1 + d_0) \times 100]$

 $d_0 < 1\% [= d_0/(d_3 + d_2 + d_1 + d_0) \times 100]$

HPLC: Instrument:

Thermo Scientific UltiMate 3000

Column: X-Bridge C-18, 5 μm (4.6 mm x 150 mm)

Column oven: 40 °C

Mobile Phase: A = MilliQ water; B = Acetonitrile

20 mM ammonium acetate was present only in the aqueous phase

0-14 min 25% B; 14-17 min 25-75% B; 17-22 min 75% B; 22-25 min 75-25% B, 25-30

min 25% B.

Flow rate: 1.0 mL/min

Detector: Thermo Scientific UltiMate 3000 RS PDA operating at 246 nm

Relative peak area of the main component:

Initial analysis: Mean = 99.0%, s = 0.02% (7 sub samples in duplicate, June 2020)

Karl Fischer analysis: Moisture content 0.8% mass fraction (June 2020)

Thermogravimetric analysis: Volatiles content 0.4% and non-volatile residue 1.1% mass fraction (June 2020)

Spectroscopic and other characterisation data

GC-MS: The free steroid was liberated upon treatment with acid and derivatised with MSTFA.

Instrument: Agilent 6890/5973

Column: DB-5MS, 30 m x 0.25 mm l.D. x 0.25 μm

Program: 180 °C (1 min), 30°C/min to 250°C (10 min), 30°C/min to 300°C (3 min)

Injector: 250 °C
Split ratio: 20/1
Transfer line temp: 280 °C
Carrier: Helium
Scan range: 50-550 m/z

The retention time of the *bis*-TMS derivative of d₃-testosterone is reported along with the major peaks in the mass spectrum. The latter are reported as mass/charge ratios and (in brackets) as a percentage relative to the

base peak.

Bis-TMS (12.1 min): 435 (M+, 100), 420 (12), 209 (9), 208 (8), 75 (13), 73 (55) m/z

TLC: Conditions: Kieselgel 60F₂₅₄. Chloroform/methanol/water (70:28:2)

Single spot observed, $R_f = 0.5$. Visualisation with UV at 254 nm

IR: Instrument: FT-IR, Biorad WIN FTS40 Range: 4000-400 cm⁻¹, KBr pellet

Peaks: 3530, 1675, 1622, 1261, 1211, 1057, 1026, 1013, 991, 771, 606 cm⁻¹

¹H NMR: Instrument: Bruker Avance III-500

Field strength: 500 MHz

Solvent: MeOH-d₄ (3.31 ppm)

Spectral data: $\delta 0.86 \text{ (3H, s)}, 0.95\text{-}1.08 \text{ (3H, m)}, 1.21 \text{ (1H, m)}, 1.24 \text{ (3H, s)}, 1.32 \text{ (9H, t, } J = 7.3 \text{ Hz}), 1.32 \text{ (4H, m)}, 1.24 \text{ (3H, m)}, 1.24 \text{ (3H, m)}, 1.24 \text{ (3H, m)}, 1.32 \text{ (9H, t, J = 7.3 Hz)}, 1.32 \text{ (9H, t, J = 7.3 Hz)}, 1.32 \text{ (4H, m)}, 1.32 \text{ (4H, m)}, 1.32 \text{ (4H, m)}, 1.32 \text{ (3H, m)}$

1.36 (1H, m), 1.48 (1H, m), 1.60-1.75 (4H, m), 1.90 (1H, m), 2.00 (1H, dt, J = 13.0, 3.4 Hz), 2.09 (1H, ddd, J = 3.1, 5.0, 13.5 Hz), 2.26-2.33 (2H, m), 2.44-2.52 (2H, m), 3.22

(6H, q, J = 7.2 Hz), 5.71 (1H, s) ppm

Diethyl ether estimated at 0.2% mass fraction was observed in the ¹H NMR

¹³C NMR: Instrument: Bruker Avance III-500

Field strength: 126 MHz

Solvent: MeOH-d₄ (49 ppm)

Spectral data: δ 9.2, 12.0, 17.7, 21.6, 24.1, 32.8, 33.9, 34.7, 36.7, 36.8, 37.7, 40.0, 43.7, 48.0, 51.3,

55.4, 124.2, 175.2, 202.3 ppm

As a result of successful deuteration, signals due to C-16 and C-17 are not observed

above baseline noise

Melting point: 154-158 °C

Microanalysis: Found: C = 63.2%; H = 9.3%; N = 2.9%; S% = 6.5% (June, 2020)

Calculated: C = 63.5%; H = 9.2%; N = 3.0%; S% = 6.8% (Calculated for $C_{25}H_{40}D_3NO_5S$)