



Australian Government
Department of Industry,
Science and Resources

National
Measurement
Institute



Sports Doping Control Reference Material Catalogue (Steroids, Steroid Metabolites and Stimulants)

NMI reference materials available globally through our international partners:



Cerilliant
www.cerilliant.com



LGC Standards
www.lgcstandards.com



Merck
www.sigmaaldrich.com

	NMI reference	Unit of issue (mg)	Cost (A\$)	
			Domestic (excl GST)	International
SYNTHETIC STEROIDS AND METABOLITES				
Androstan-4,6-dienes				
Androstan-4,6-diene-17β-ol-3-one	S007	1 (ampoule)	110	154
Bolasterone metabolites				
7α,17α-Dimethyl-5β-androstane-3α,17β-diol	D614	1	141	198
7α,17α-Dimethyl-5β-androstane-3α,17β-diol glucuronide	D628	1	171	240
Boldenone and metabolites				
Boldenone (1,4-Androstadiene-17β-ol-3-one)	S008b	10	110	154
Boldenone cypionate	S032	5	141	198
d ₃ -17β-Boldenone	D581b	1 (ampoule)	141	198
17β-Boldenone sulfate (Et ₃ N salt)	D931	5	141	198
17β-Boldenone glucuronide (K ⁺ salt)	D862	1	207	290
d ₃ -17β-Boldenone sulfate (Et ₃ N salt)	S013	1 (ampoule)	171	240
17α-Boldenone (Epiboldenone)	D582b	1 (ampoule)	110	154
5β-Androst-1-en-17β-ol-3-one	D564	1 (ampoule)	110	154
5β-Androst-1-en-17β-ol-3-one glucuronide (free acid)	D935	1 (ampoule)	141	198
5β-Androst-1-en-3α-ol-17-one	S022	1 (ampoule)	110	154
Calusterone and metabolites				
Calusterone	D618	1	141	198
7β,17α-Dimethyl-5β-androstane-3α,17β-diol	D624	1 (ampoule)	141	198
7β,17α-Dimethyl-5β-androstane-3α,17β-diol glucuronide	D629	1	171	240
Clostebol metabolite				
4-Chloro-4-androsten-3α-ol-17-one	D563	1 (ampoule)	110	154
Danazol metabolites				
2α-Hydroxymethylethisterone*	D920b	1	110	154
Drostanolone, esters, and metabolites				
Drostanolone	S026b	1	110	154
Drostanolone enanthate	S027	40	110	154
Drostanolone propionate	S025	20	110	154
2α-Methyl-5α-androstan-3α-ol-17-one	D567	1	110	154

	NMI reference	Unit of issue (mg)	Cost (A\$)	
			Domestic (excl GST)	International
2 α -Methyl-5 α -androstan-3 α -ol-17-one-3 β -D-glucuronide (Na salt)	D601	1	141	198
Finasteride metabolites				
Carboxy finasteride* (exhausted)	S045	1	110	154
Fluoxymesterone metabolites				
9 α -Fluoro-17,17-dimethyl-18-nor-androstan-4,13-diene-11 β -ol-3-one	D571	1 (ampoule)	110	154
9 α -Fluoro-17 α -methyl-4-androsten-3 α ,6 β ,11 β ,17 β -tetra-ol	D616	1 (ampoule)	110	154
6 β -Hydroxyfluoxymesterone	D617	1 (ampoule)	110	154
Formebolone metabolite				
2-Hydroxymethyl-17 α -methylandrosteradiene-11 α ,17 β -diol-3-one	D622	1 (ampoule)	141	198
Furazabol metabolite				
16 β -Hydroxyfurazabol	D602	1	110	154
4-Hydroxysteroids				
4-Hydroxytestosterone	D851b	1 (ampoule)	141	198
4-Hydroxyandrostendione (Formestane)	D852b	1 (ampoule)	141	198
4-Hydroxynandrolone (Oxabolone)	D853c	1 (ampoule)	110	154
Mesterolone and metabolites				
Mesterolone	S037	20	110	154
1 α -Methyl-5 α -androstan-3 α -ol-17-one	D557	1(ampoule)	110	154
1 α -Methyl-5 α -androstan-3 α -ol-17-one glucuronide	D598	1(ampoule)	141	198
1 α -Methyl-5 α -androstan-3 α ,17 β -diol	D556	1(ampoule)	110	154
1 α -Methyl-5 α -androstan-3 α ,17 β -diol glucuronide	D599	1(ampoule)	141	198
Metenolone metabolites				
1-Methylene-5 α -androstan-3 α -ol-17-one	D619	1 (ampoule)	110	154
1-Methylene-5 α -androstan-3 α -ol-17-one glucuronide	D597	1(ampoule)	141	198
Methandienone and metabolites				
Methandienone	D630	10	110	154
17-Epimethandienone	D562	1(ampoule)	110	154
6 β -Hydroxymethandienone	D565	1 (ampoule)	110	154
Epimetendiol	D638	1 (ampoule)	171	240

	NMI reference	Unit of issue (mg)	Cost (A\$)	
			Domestic (excl GST)	International
17,17-Dimethyl-18-nor-5 β -androsta-1,13-diene-3 α -ol	D639	1 (ampoule)	171	240
17,17-Dimethyl-18-norandrosta-1,4,13-trien-3-one	D576	5	141	198
Methasterone				
Methasterone	S021	20	110	154
Methyltestosterone metabolites				
17 α -Methyl-5 α -androstane-3 α ,17 β -diol	D560	1 (ampoule)	110	154
17 α -Methyl-5 β -androstane-3 α ,17 β -diol	D561	1 (ampoule)	110	154
d3-17 α -Methyl-5 β -androstan-3 α ,17 β -diol	D928	1 (ampoule)	110	154
17α-Methyl-1-testosterone				
17 β -Hydroxy-17 α -methyl-5 α -androst-1-ene-3-one	D904	1(ampoule)	110	154
Nandrolone and metabolites				
Nandrolone	S038	10	110	154
d ₃ -17 β -Nandrolone	D583	5	207	290
d ₃ -17 β -Nandrolone sulfate (Et ₃ N salt)	D782b	1 (ampoule)	141	198
¹³ C ₂ -17 β -Nandrolone	D679	5	171	240
17 β -Nandrolone decanoate	D684b	10	110	154
17 β -Nandrolone glucuronide (K ⁺ salt)	D861	1	207	290
17 β -Nandrolone phenylpropionate	S029	20	110	154
17 β -Nandrolone sulfate (Na ⁺ salt)	D809b	1	110	154
17 α -Nandrolone (epi-nandrolone)	D722e	1 (ampoule)	110	154
17 α -Nandrolone sulfate	D783b	5	110	154
d ₄ -19-Noretiocholanolone	D742	1 (ampoule)	141	198
19-Noretiocholanolone	D554	1 (ampoule)	110	154
19-Noretiocholanolone glucuronide (Na salt)	D595a	1 (ampoule)	141	198
d ₄ -19-Norandrosterone	D584c	1 (ampoule)	141	198
d ₄ -19-Norandrosterone glucuronide (Na ⁺ salt)*	D898b	1(ampoule)	110	154
19-Norandrosterone	D555a	1 (ampoule)	110	154
19-Norandrosterone glucuronide (Na ⁺ salt)	D596a	1 (ampoule)	141	198
19-Norandrosterone sulfate (Et ₃ N salt)	D841b	1 (ampoule)	110	154
5(10)-Estrene-3 β ,17 α -diol	D926	Exhausted		
Norbolethone and metabolites				

	NMI reference	Unit of issue (mg)	Cost (A\$)	
			Domestic (excl GST)	International
Norbolethone (13 β ,17 α -diethyl-gonan-4-ene-17 β -ol-3-one)	D825b	1	171	240
Norbolethone (13 β ,17 α -diethyl-gonan-4-ene-17 β -ol-3-one) – WADA	D825c	1	110	154
13 β ,17 α -Diethyl-5 β -gonane-3 α , 17 β -diol (major metabolite)*- WADA	D818b	1 (ampoule)	110	154
13 β ,17 α -Diethyl-5 α -gonane-3 α , 17 β -diol (minor metabolite)* - WADA	D820b	1 (ampoule)	110	154
Norethandrolone metabolite				
17 α -Ethyl-5 α -estrane-3 α , 17 β -diol	D558	1(ampoule)	110	154
17 α -Ethyl-5 β -estrane-3 α , 17 β -diol	D559	1(ampoule)	110	154
17 α -Hydroxyethyl-5 β -estrane-3 α , 17 β -diol †	S015	1 (ampoule)	110	154
Oral turinabol and metabolites (dehydrochloromethyltestosterone)				
Oral turinabol	D613	1 (ampoule)	110	154
Oxandrolone and metabolite				
17-Epioxandrolone	D620	1 (ampoule)	110	154
Oxandrolone	S040	20	110	154
Prostanozolol metabolites				
3'-Hydroxy-5 α -androstan[3,2-c]pyrazol-17-one †	S016	1 (ampoule)	110	154
4 α /4 β -Hydroxy-5 α -androstan[3,2-c]pyrazol-17-one †	S019	1 (ampoule)	110	154
16 β -Hydroxy-5 α -androstan[3,2-c]pyrazol-17-one †	S017	1 (ampoule)	110	154
Stanozolol and metabolites				
Stanozolol	D646	10	110	154
3'-Hydroxystanozolol	D577	1 (ampoule)	110	154
3'-Hydroxystanozolol glucuronide	D640	1 (ampoule)	171	240
4 α -Hydroxystanozolol	D642	1	110	154
4 β -Hydroxystanozolol	D641	0.5 (ampoule)	110	154
16 β -Hydroxystanozolol	D621	1	141	198
1-Testosterone				
1-Testosterone (5 α -Androst-1-en-3-one-17 β -ol)	D767c	1(ampoule)	207	290
5 α -Androst-1-ene-3 β ,17 β -diol	D871b	1(ampoule)	110	154
Tetrahydrogestrinone and precursors				
Gestrinone	D860b	10	110	154

	NMI reference	Unit of issue (mg)	Cost (A\$)	
			Domestic (excl GST)	International
Tetrahydrogestrinone (THG)	D872e	1	207	290
Trenbolone and metabolite				
Trenbolone acetate	S024	20	110	154
Trenbolone enanthate	S028	5	110	154
17 α -Trenbolone (Eptrenbolone)	D708	5	207	290
ENDOGENOUS STEROIDS AND METABOLITES				
Testosterone and metabolites				
16,16,17-d ₃ -Testosterone	D546	1 (ampoule)	141	198
16,16,17-d ₃ -Testosterone glucuronide (sodium salt)	S036	1 (ampoule)	110	154
16,16,17-d ₃ -Testosterone sulfate	D506b	1 (ampoule)	141	198
19-d ₃ -Testosterone	D644	Exhausted		
Testosterone	M914c	10	110	154
Testosterone glucuronic acid	D507d	1 (ampoule)	141	198
Testosterone sulfate (Et ₃ N salt)	D508	1 (ampoule)	110	154
Testosterone acetate	S042	10	110	154
Testosterone cypionate	S018	20	110	154
Testosterone decanoate	D683	10	110	154
Testosterone enanthate	D773d	1	110	154
Testosterone isocaproate (4-methylpentanoate)	D688b	10	110	154
Testosterone phenylpropionate	S030	20	110	154
Testosterone propionate	D710b	25	110	154
d ₃ -Epi-testosterone	D548	1 (ampoule)	141	198
d ₄ -Epi-testosterone	S001	1 (ampoule)	141	198
d ₃ -Epi-testosterone glucuronide	D604	Exhausted		
d ₃ -Epi-testosterone sulfate	D591	1(ampoule)	141	198
Epi-testosterone	D547b	1(ampoule)	110	154
Epi-testosterone glucuronide (Na salt)	S035	1(ampoule)	110	154
Epi-testosterone sulfate	D605	1(ampoule)	110	154
d ₄ -Androsterone	D549	1(ampoule)	141	198
d ₄ -Androsterone glucuronide	D829g	1 (ampoule)	141	198
d ₄ -Androsterone sulfate	D587	1(ampoule)	141	198
Androsterone	D550d	1(ampoule)	110	154
Androsterone glucuronide	D572b	1(ampoule)	141	198

	NMI reference	Unit of issue (mg)	Cost (A\$)	
			Domestic (excl GST)	International
Androsterone sulfate (Na ⁺ salt)	D610b	1(ampoule)	110	154
d ₅ -Etiocholanolone	D528d	1 (ampoule)	110	154
d ₅ -Etiocholanolone sulfate	D606	1(ampoule)	141	198
Etiocholanolone	D551c	1 (ampoule)	110	154
Etiocholanolone glucuronide (Na ⁺ salt)	D607b	1	141	198
Etiocholanolone sulfate	D608	1 (ampoule)	110	154
d ₃ -5 α -Dihydrotestosterone	D552	1(ampoule)	141	198
d ₃ -5 α -Dihydrotestosterone glucuronide free acid	D573b	1(ampoule)	141	198
d ₃ -5 α -Dihydrotestosterone sulfate	D590	1(ampoule)	141	198
5 α -Dihydrotestosterone	D680	10	110	154
5 α -Dihydrotestosterone glucuronide free acid	S006	1	141	198
5 α -Dihydrotestosterone sulfate	D609	1(ampoule)	110	154
5 α -Androstane-3 α ,17 β -diol	D634b	1(ampoule)	110	154
d ₃ -5 α -Androstane-3 α ,17 β -diol	D593	1	141	198
5 α -Androstane-3 α ,17 β -diol-17- β -glucuronic acid	S002	1	110	154
5 α -Androstane-3 α ,17 β -diol-3-O- β -glucuronide Na ⁺ salt	S051	1	141	198
5 α -Androstane-3 β ,17 β -diol	D635	1(ampoule)	141	198
d ₃ -5 α -Androstane-3 β ,17 β -diol	D594	1(ampoule)	141	198
5 β -Androstane-3 α ,17 β -diol	D636	1(ampoule)	110	154
5 β -Androstane-3 α ,17 β -diol-17- β -glucuronic acid	S005	Exhausted		
5 β -Androstane-3 α ,17 β -diol-3- β -glucuronic acid - WADA	S003b	1	141	198
d ₅ -5 β -Androstane-3 α ,17 β -diol	D580	1(ampoule)	141	198
5 β -Androstane-3 β ,17 β -diol	D637	1(ampoule)	141	198
d ₅ -5 β -Androstane-3 β ,17 β -diol	S014	1(ampoule)	110	154
5 α -Androstane-3 β ,17 β -diol-3- β -glucuronic acid	D678b	1(ampoule)	141	198
5 α -Androstane-3 β -ol-17-one-3-glucuronide Na ⁺ salt	S031	1	110	154
Prohormones and metabolites				
Androstendione	M955	10	110	154
1,4-Androstadiene-3,17-dione (Boldendione)	D878	1(ampoule)	110	154
Dehydroepiandrosterone (DHEA)	D796b	10	110	154
6 β -Hydroxyandrosterone	D886b	1(ampoule)	171	240

	NMI reference	Unit of issue (mg)	Cost (A\$)	
			Domestic (excl GST)	International
7 β -Hydroxy DHEA - WADA	D865b	1(ampoule)	110	154
19-Norandrostendione (Estrendione)	D721	10	110	154
HORMONE ANTAGONISTS AND MODULATORS				
Aromatase inhibitors				
Bis-(4-cyanophenyl)methanol (Letrazole metabolite)*	D909c	1(ampoule)	110	154
Selective Androgen Receptor Modulators (SARMs)				
Andarine	D1074	1	110	154
Cardarine	D1077	1	110	154
Ligandrol (LGD-4033)	D1073	1	110	154
MK-677	D1078	1	110	154
Ostarine	D1075	5	110	154
RAD 140	D1076	1	110	154
Selective Estrogen Receptor Modulators (SERMs)				
3-Hydroxy-4-methoxytamoxifen*	D921	1	110	154
Other anti-estrogenic substances				
4-Hydroxycyclofenil*	D930	1 (ampoule)	110	154
GROWTH PROMOTANTS AND METABOLITES				
Zearalenone	P1787b	10	171	240
α -Zearalenol	P1795	5	250	350
β -Zearalenol	P1796	5	250	350
α -Zearalanol	P1801	5	110	154
β -Zearalanol	P1802	5	110	154
STIMULANTS				
Carphedon	D891b	10	110	154
Crotethamide* (currently not available)	M450	50	110	154
Cropropamide* (currently not available)	M451	25	110	154
Cyclazadone [†]	D914	10	141	198
Famprofazone	D893	20	110	154
Fenbutrazate hydrochloride [†]	D915	1 (ampoule)	141	198
Fencamine [†]	D913	10	141	198
Fenproporex hydrochloride	D500b	25	110	154
Fenethylamine hydrochloride	D543b	20	141	198

	NMI reference	Unit of issue (mg)	Cost (A\$)	
			Domestic (excl GST)	International
Heptaminol hydrochloride*	M299	50	110	154
6-Hydroxybromantan* (currently not available)	D889	10	110	154
Isometheptene mucate	D940	20	141	198
Mefenorex hydrochloride	D283b	50	110	154
(±)-4-Methylamphetamine hydrochloride	D895b	10	171	240
dl-Norephedrine hydrochloride (Phenylpropanolamine)	M296	100	110	154
(+)-Norpseudoephedrine hydrochloride (Cathine)	M297	50	110	154
Ortetamine hydrochloride†	D912b	10	207	290
Oxilofrine hydrochloride	D892b	5	110	154
Salbutamol	M898c	10	141	198
d ₃ -Salbutamol	D939	1	141	198
Salmeterol hydroxynaphthoate	M904	50	141	198
Selegiline hydrochloride	D822	50	141	198
SYNTHETIC CANNABINOIDS				
AM1220 1-[(1-Methylpiperidin-2-yl)methyl]-3-(1-naphthoyl)-indole	D982	20	110	154
AM2201 [1-(5-Fluoropentyl)-3-(1-naphthoyl)-indole]	D983	20	110	154
JWH-018 [<i>N</i> -Pentyl-3-(1-naphthoyl)indole]	D955	20	141	198
JWH-210 [<i>N</i> -Pentyl-3-(4-ethyl-1-naphthoyl)indole]	D984	5	110	154
XLR-11 [1-(5-Fluoro-pentyl)-3-(2,2,3,3-tetramethylcyclopropyl)indole]	D1000	25	110	154
PDE-5 INHIBITORS				
Tadalafil	D941	20	141	198
COMMERCIAL MATERIALS SUPPLIED WITH THE MANUFACTURER'S CERTIFICATE OF ANALYSIS (these materials have not been certified by NMI)				
Bupranolol hydrochloride (exhausted)	M558	20	110	154
Dextromoramide tartrate (exhausted)	D529	50	110	154
Dipipanone hydrochloride (exhausted)	M642	20	110	154
Etilephrine hydrochloride	M880b	10	110	154
Propylhexedrine	M394	50	110	154
Terbutaline sulfate	M647b	20	110	154
Trimeperidine hydrochloride	M605	20	110	154

*Production funded by the US Anti-Doping Agency.

†Production funded by the Australian Government through the Anti-Doping Research Program.

NOTES

1. Restrictions on Issue

The steroid and steroid metabolite reference materials are generally available to WADA accredited laboratories. Laboratories which **do not have** WADA accreditation must provide documented evidence, signed by the company manager, that these materials will not be used for unethical purposes related to commercial human sports drug analysis and that they will not be provided to other laboratories who may be engaged in this analysis.

2. Classes of Reference Materials available from NMI

The majority of products listed in this catalogue are classified as certified reference materials in accordance with the definition detailed in ISO 17034:2016(E) *General requirements for the competence of reference materials producers*.

2.1 NMI Reference Materials

Reference Materials (RMs) produced by NMI are prepared in accordance with our accreditation from NATA to ISO 17034:2016(E) *General requirements for the competence of reference materials producers*. RMs are supplied with product information sheets and SDS, and have demonstrated homogeneity and stability.

2.2 NMI Certified Reference Materials

Certified Reference Materials (CRMs) produced by NMI have established metrological traceability to the SI unit for mass (kg). All purity values, stated as a mass fraction, are reported with the associated uncertainty in the certificate of analysis.

2.3 Other Standards

In addition to materials certified by NMI, we maintain a limited collection of agrochemical and veterinary materials obtained from various sources. They are provided with the most current certification information available. In addition to the minimum fee, purchase costs incurred by NMI to obtain individual compounds are recovered on a

pro-rata basis. Individual unit issue size varies depending on the amount available and the difficulty of obtaining replacement compound.

All care is taken in the storage and handling of these materials however they are not independently certified by NMI.

We endeavour to provide material with currently valid certification but cannot do so in all cases.

3. Ampouled Materials

For each ampouled reference material the product information sheet / certificate of analysis will state the mass of analyte dispensed into each ampoule. For reference materials with certified reference material status the mass of analyte will be reported with an associated uncertainty.

4. GST charges (Australian customers only)

The prices quoted are EXCLUSIVE of Goods and Services Tax (GST). The current GST rate is 10%. Upon delivery of the requested reference materials NMI will issue valid tax invoices and, if required, adjustment notes as per the requirements of the GST legislation.

5. Deliver Fee

Delivery and handling fees apply for all orders and vary with destination. Please check the applicable rates when ordering.

6. For Further Information

Customer Service Officer,
Chemical Reference Materials Team,
National Measurement Institute,
GPO Box 2013, Canberra, ACT 2601, Australia.

Phone: +61 2 9449 0191

Fax: +61 2 9449 0292

Email: chemref@measurement.gov.au

Web: www.measurement.gov.au/chemref