

COMMONWEALTH OF AUSTRALIA

Ministerial Exemption Instrument No. 3 of 2015

Customs Tariff (Anti-Dumping) Act 1975

I, KAREN LESLEY ANDREWS, Parliamentary Secretary to the Minister for Industry, Innovation and Science, have considered and accepted the recommendations of the Commissioner of the Anti-Dumping Commission, the reasons for the recommendations, the material findings of fact on which the recommendations are based and the evidence relied on to support those findings in *Exemption inquiry report: EX0028* concerning aluminium zinc coated steel exported to Australia from the People's Republic of China (China) and the Republic of Korea (Korea).

Under subsections 8(7) and 10(8) of the *Customs Tariff (Anti-Dumping) Act 1975*, I hereby exempt the goods described in Attachment 1 (the Goods) from:

- interim dumping duty and dumping duty, and
- interim countervailing duty and countervailing duty,

as I am satisfied that like or directly competitive goods are not offered for sale in Australia to all purchasers on equal terms under like conditions having regard to the custom and usage of trade.

The anti-dumping measures previously applying to the Goods were imposed following the then Attorney-General's consideration of *International Trade Remedies Branch Report No. 190* concerning the alleged dumping of aluminium zinc coated steel exported from China and Korea, and *International Trade Remedies Branch Report No. 193* concerning the alleged subsidisation of aluminium zinc coated steel exported from China.

This instrument takes effect from the 27th day of October 2014. The instrument is subject to review and may be revoked.

Dated this 12th day of November 2015

KAREN LESLEY ANDREWS

Parliamentary Secretary to the Minister for Industry, Innovation and Science

Attachment 1

All goods meeting the description detailed below are eligible for an exemption from dumping duties and countervailing duties under Ministerial Exemption Instrument No. 3 of 2015.

Aluminium zinc coated steel having all of the following characteristics:

- *width of 1,200 mm; and*
- *thickness of 1.6 mm;*

with tolerance allowances for: width of +/- 1%; and thickness of +/- 5%.