



文安县金凯建材有限公司 (国际销售部)

WEN'AN JINKAI BUILDING MATERIAL CO.,LTD (International Sales)

地址: 河北省文安县德归镇黄甫农场东都产业园

ADD: HUANGFU STATE-OWNED FARM, WENAN COUNTY,
LANGFANG, HEBEI, CHINA

TEL: 0086 139 1056 6706

FAX: 0086 316 5311144

E-MAIL: brankwong@126.COM

WHATSAPP: 008613910566706

SKYPE: brankwong

WEBSITE: <https://jinkai-building.en.alibaba.com>

文安县金凯建材有限公司 (国内销售部)

WEN'AN JINKAI BUILDING MATERIAL CO.,LTD (Domestic Sales)

Telephone 电话: 0316-5311017

Fax 传真: 0316-5311144

Cell phone 手机: 13832622659

Website 网址: <https://jinkai-building.en.alibaba.com>

邮箱: jinkai-wn88@163.com


E-mail:jinkaicn@126.com

地址: 河北省文安县德归镇黄甫农场东都产业园

ADDRESS:HUANGFU STATE-OWNED FARM, WENAN COUNTY,
LANGFANG, HEBEI, CHINA

烤漆龙骨 | 轻钢龙骨

Ceiling T Grids | Drywall Steel Profile



文安县金凯建材有限公司

Wen'an Jinkai Building Material Co.Limited.

Company Profile

Wen'an Jinkai Building Materials Co., Ltd. incorporated since 1996. Jinkai Company is manufacturing the white pre-coating ceiling T grids for suspended false ceiling tiles and the steel channels and accessories for the gypsum drywall system and gypsum ceiling system. Our companies have over 300 workers and more than 50 sets of advanced production lines of ceiling T Grid and galvanized steel channels in the workshops of 12000m², with annual production value 16 million US dollars. By our strong technical capability, we're providing the new products every years to the customer's demand. Our company's products are widely marketed and used in over 30 provinces in China and over 60 countries all over the world. Our competitiveness is not only the favorable price, but also the steady and reliable quality.

Our products are.

- | | |
|-------------------------------|---------------------------------------|
| △ Flat Ceiling T Grid | △ Gypsum Partition System |
| △ Black Line In Center T Grid | △ Gypsum Knauf Style Ceiling System |
| △ Grooved Ceiling T Grid | △ Gypsum Lafarge Style Ceiling System |
| △ FUT Ceiling T Grid | △ Gypsum Hook Channel Ceiling System |

企业简介

文安县金凯建材有限公司成立于1996年。主要生产烤漆龙骨、轻钢龙骨及其配件。公司拥有国内先进冷弯轻钢龙骨、T型烤漆龙骨生产线共计50多台套，厂房面积共计一万两千平米，工人二百多人，年产值1亿多人民币。我们技术力量雄厚，不断开发新产品，满足客户的新需求。公司生产的产品畅销全国二十多省市地区，并出口在全世界60多个国家和地区，不但价格实惠，而且产品质量也深得客户的好评。

我们的产品主要包括：

- | | |
|--------------|--------------|
| △ T型平面烤漆龙骨 | △ 石膏隔墙龙骨 |
| △ T型黑线烤漆龙骨 | △ 石膏可耐福式吊顶系统 |
| △ T型立体凹槽烤漆龙骨 | △ 石膏拉法基式吊顶系统 |
| △ T型贯通黑线烤漆龙骨 | △ 石膏卡式吊顶系统 |
| △ 澳式吊顶系统 | △ 可折叠集装箱房 |


我们的资质荣誉：



金凯建材




Flat T Grid | 平面烤漆龙骨



Series | 系列


PT38W PT32W | 平面白色
 PT38S PT32S | 平面银色
 PT38G PT32G | 平面金色

Fut T Grid | 贯通黑线烤漆龙骨




ITEM:

FUT32
 FUT38




Wall Angle |

Size: (Height×Width×Length)
 20×20×3000mm
 22×22×3000mm
 24×24×3000mm
 Thickness: 0.3mm, 0.35mm, 0.4mm




Wall Angle |

Size: (Height×Width×Length)
 24×24×3000mm
 20×20×3000mm
 Thickness:
 0.3mm, 0.4mm




Cross Tee |

Size: (Height×Width×Length)
 26×24×1200mm
 26×24×1220mm
 26×24×600mm
 26×24×610mm
 15×32×600mm
 15×38×600mm
 Thickness: 0.26mm, 0.3mm




Cross Tee |

Size: (Height×Width×Length)
 24×32×1200mm
 24×32×1220mm
 24×32×600mm
 24×32×610mm
 Thickness: 0.26mm, 0.3mm



Main Tee |


Size: (Height×Width×Length)
 38×15×3600mm
 38×24×3600mm
 38×24×3660mm
 38×24×3750mm
 32×15×3600mm
 32×24×3600mm
 32×24×3660mm
 32×24×3750mm
 Thickness: 0.26mm, 0.3mm, 0.35mm



Main Tee |

Size: (Height×Width×Length)
 24×32×3600mm
 24×32×3660mm
 24×32×3750mm
 Thickness:
 0.3mm, 0.35mm, 0.40mm

Black Lined T Grid | 平面凹槽烤漆龙骨



ITEM:

BT32 (24×32mm)
BT38 (24×38mm)
NBT32 (15×32mm)
NBT38 (15×32mm)

Grooved T Grid | 立体凹槽烤漆龙骨




ITEM:

3D32 (15×32mm)
3D38 (15×38mm)
3D42 (15×42mm)




Wall Angle |

Size: (Height×Width×Length)
15×20×3000mm
20×20×3000mm
24×24×3000mm
Thickness:
0.3mm,0.35,0.4mm




Wall Angle |

Size: (Height×Width×Length)
15×20×3000mm
20×20×3000mm
Thickness:
0.3mm,0.35,0.4mm




Cross Tee |

Size: (Height×Width×Length)
15×32×1200/1220mm
24×32×1220/1220mm
15×32×600/610mm
24×32×600/610mm
Thickness:0.26mm,0.3mm




Cross Tee |

Size: (Height×Width×Length)
15×32×600mm/1200mm
15×38×600mm/1200mm
15×42×600mm/1200mm
Thickness:
0.3mm,0.35mm,0.4mm



Main Tee |

Size: (Height×Width×Length)
15×32×3600mm
15×32×3660mm
15×32×3750mm
24×32×3600mm
24×32×3660mm
24×32×3750mm
Thickness:0.26mm,0.3mm,0.35mm





Main Tee |

Size: (Height×Width×Length)
15×32×3600mm/3660mm/3750mm
15×38×3600mm/3660mm/3750mm
15×42×3600mm/3660mm/3750mm
Thickness:
0.26mm,0.3mm,0.35mm


T37 T Shape Profile | T37型龙骨




ITEM:
GIT37 (35×37mm)

**Wall Angle |**

Size: (Height×Width×Length)
25×25×3000mm
28×28×3000mm
Thickness:
0.40mm,0.45,0.50mm


**Cross Tee |**

Size: (Height×Width×Length)
35×37×1200mm
35×37×1220mm
Thickness:0.35mm,0.40mm


**Main Tee |**

Size: (Height×Width×Length)
35×37×3600mm
35×37×3660mm
35×37×3750mm
Thickness:
0.26mm,0.3mm,0.35mm


Wall Angle Collection | 边角总汇

**W Angle | W边角**



20×10×10×20×3000mm
18×9×13×23×3000mm
20×20×20×20×3000mm
Thickness
0.30,0.35,0.40mm

**L Wall Angle | L边角**

20×20×3000mm
22×22×3000mm
24×24×3000mm
15×20×3000mm
Thickness
0.30,0.35,0.40mm


**L Wall Angle(green/brown inside)
L边角 (内测绿色/棕色)**

20×20×3000mm
22×22×3000mm
24×24×3000mm
15×20×3000mm
Thickness
0.30,0.35,0.40mm


**J Wall Angle | J型边角**

18×15×7×3000mm
Thickness
0.30,0.35,0.40mm

Australian Style Gypsum False Ceiling | 澳式吊顶系统




16 Ceiling Batten
36x16x6000/4800mm
0.50 BMT 0.291kg plm



Metal Stud
51x33.5x35.5x3000 0.55BMT 0.554kg
64x33.5x35.5x3000 0.55BMT 0.609kg
76x33.5x35.5x3000 0.55BMT 0.599kg
92x33.5x35.5x3000 0.55BMT 0.732kg



16 Furring Channel
38x16x16x3600/4800/6000mm
0.50 BMT 0.378kg



Metal Track (Hemmed)
52x28x28x3000 0.55BMT 0.490kg
65x28x28x3000 0.55BMT 0.545kg
77x28x28x3000 0.55BMT 0.599kg
93x28x28x3000 0.55BMT 0.665kg




28 Furring Channel
38x28x28x3600 / 4800mm
0.55 BMT 0.515 Kg



Deflection Track (Hemmed)
52x50x50x3000 0.55BMT
65x50x50x3000 0.55BMT
77x50x50x3000 0.55BMT
93x50x50x3000 0.55BMT



25mm Top Cross Rail
25x21x21x4800mm
0.70 BMT 0.481 kg



Metal Angle
30x30x3000mm 0.50BMT




Furring Channel Track
28x20x30x3000 / 4800mm
0.55 BMT 0.332 kg
16x20x30x3000 / 4800mm
0.55 BMT 0.281 kg




Corner Bead
10x10x30x3000mm 0.50BMT



Australian Style Gypsum False Ceiling | 澳式吊顶系统配件




Australian Style Gypsum False Ceiling | 澳式吊顶系统彩色龙骨





Hook Channel Ceiling System | 卡式吊顶系统



Spec. | 规格
Furring Channel
50x19x3000mm
40x19x3000mm
Hook Channel
28x20x3000m



CD/UD Ceiling System | CD/UD吊顶系统



CD Profile |

60×27×3000mm

60×26×2800mm

Thickness :

0.3mm, 0.35mm to 0.60mm


UD Profile |

27×28×3000mm




27×28×2800mm

Thickness :

0.3mm, 0.35mm to 0.60mm

Cross Connector
十字连接U clamp
U型夹Double hanger
双吊件Adjustable Hanger
可调节吊件CD connector
CD连接

Furring Channel Ceiling System | 变高吊顶系统



Furring Channel | 变高龙骨

35×22×68mm×3000mm

32×22×68mm×3000mm

35×17×62mm×3000mm

厚度/Thickness :

0.40, 0.45, 0.50mm.



Main Channel


38主骨

38×10×3000mm

38×12×3000mm

Thickness :

0.40, 0.45, 0.50mm




Wall Angle | 边角

25×25mm×3000mm

24×24mm×3000mm

Thickness :

0.40, 0.45, 0.50mm



Accessories | 配件