

LB Xiangyang Titanium Industry Co., Ltd.

TABLE C-1 The goods exported to Australia

Item No.	Product code	MCC Category - Production Process	MCC	Product specifications / typical properties								
				Product code or grade used to market product (if different to internal product code)	Recommended applications	Titanium dioxide minimum content (%), dry weight basis	Inorganic surface treatment or coating (please identify e.g. alumina, zirconia, silica etc)	Organic surface treatment or coating (yes or no)	Bulk density (g/cm3)	Oil absorption (g/100 g)	Specific gravity (g/cm3)	ISO 591-1:2000 classification - Type / grade (e.g. R2)
1	R-996	sulfate process	S	R-996	for coatings	95	Alumina, Zirconia	Present	1.2	18	4.1	R2

LB Xiangyang Titanium Industry Co., Ltd.**TABLE C-2 Like goods sold on the domestic market**

Item No.	Product code	MCC Category - Production Process	MCC	Product specifications / typical properties								
				Product code or grade used to market product (if different to internal product code)	Recommended applications	Titanium dioxide minimum content (%), dry weight basis	Inorganic surface treatment or coating (please identify e.g. alumina, zirconia, silica etc)	Organic surface treatment or coating (yes or no)	Bulk density (g/cm3)	Oil absorption (g/100 g)	Specific gravity (g/cm3)	ISO 591-1:2000 classification - Type / grade (e.g. R2)
1	R-996	sulfate process	S	R-996	for coatings	95	Alumina, Zirconia	Present	1.2	18	4.1	R2
2	LR-972	sulfate process	S	LR-972	for coatings and	93	Alumina, Silica	Present	1.2	19	4.1	R2
3	LR-952	sulfate process	S	LR-952	for paper	89	Alumina, Phosphate	Not Present	0.87	20	4	R3

TABLE C-3 MCC

Item No.	Product code	MCC Category - Production Process	MCC	Product specifications / typical properties								
				Product code or grade used to market product (if different to internal product code)	Recommended applications	Titanium dioxide minimum content (%), dry weight basis	Inorganic surface treatment or coating (please identify e.g. alumina, zirconia, silica etc)	Organic surface treatment or coating (yes or no)	Bulk density (g/cm3)	Oil absorption (g/100 g)	Specific gravity (g/cm3)	ISO 591-1:2000 classification - Type / grade (e.g. R2)
1	R-996	sulfate process	S	R-996	for coatings	95	Alumina, Zirconia	Present	1.2	18	4.1	R2
2	LR-972	sulfate process	S	LR-972	for coatings and	93	Alumina, Silica	Present	1.2	19	4.1	R2
3	LR-952	sulfate process	S	LR-952	for paper	89	Alumina, Phosphate	Not Present	0.87	20	4	R3