



Australian Government
Department of Industry,
Science and Resources

Australian Trade Remedies Commission

Dumping Commodity Register

Hollow Structural Sections

Goods Exported from:

Country	Measure	Date Measures Imposed	Date Measures Expire	Last Trade Remedies Notice
CHINA	IDD & ICD	3 July 2012	3 July 2027	2022/049
KOREA	IDD	3 July 2012	3 July 2027	
MALAYSIA	IDD	3 July 2012	3 July 2027	
TAIWAN	IDD	3 July 2012	3 July 2027	

This page contains a link to the latest notice. Note that a reference to the 'date measures imposed' is a reference to the date of publication of the original notice. The measures come into effect the day after the date of publication.

All information contained in this document is provided for general information purposes only. While the Australian Trade Remedies Commission has taken due care in preparing the information, the Australian Trade Remedies Commission does not guarantee the accuracy, reliability or completeness of the information contained herein. The Australian Trade Remedies Commission accepts no liability for any loss or damage suffered due to the direct or indirect reliance on the information contained in this document. Interested parties should obtain their own independent professional advice prior to relying on, or making any decisions in relation to, the information provided in this document.

Contents

1. What is the function of the Dumping Commodity Register (DCR)?	3
2. What types of hollow structural sections are subject to anti-dumping measures?.....	3
3. What tariff classifications and statistical codes are covered by the anti-dumping measures?.....	7
4. How much Interim Dumping Duty (IDD) will an importer have to pay?	8
5. What is the dumping export price (DXP) and how do I calculate it?	9
6. Will securities collected on my imports be converted to measures?	9
7. What Dumping Specification Number (DSN) do I use and what are the rates for my exporter?.....	10
8. How do I find out the confidential rate and ascertained export price for my exporter?	13
9. What information is needed to complete an import declaration for goods subject to measures?	13
10. What are the duty assessment importation and application period dates?	13
11. DCR changes including links to key reports and notices for measures on hollow structural sections?.....	14

1. What is the function of the Dumping Commodity Register (DCR)?

The Australian Trade Remedies Commission (ATRC) is committed to supporting importers, practitioners and users of the anti-dumping system through providing accessible and up to date information in the DCR.

DCRs provide importers and licensed customs brokers with general guidance and the necessary information to use when lodging an import declaration to clear goods subject to anti-dumping measures.

It is outside the role of the Commission to provide advice on whether specific goods are exempted from or subject to anti-dumping measures. Importers or their agents are required to provide self-assessed information, regarding the goods being imported, in the import declaration.

Interested parties should obtain their own independent professional advice in making any decisions in relation to importing and/or declaring goods subject to anti-dumping measures.

DCRs notify the outcomes of finalised investigations and should be read in conjunction with any relevant current investigations, such as reviews and inquiries. Refer to the [Cases page](#) on the website for any current investigation information for this commodity.

2. What types of hollow structural sections are subject to anti-dumping measures?

The goods subject to measures are:

Notice under section 269TG(2)

Certain hollow structural sections (the goods) classified to tariff subheadings 7306.30.00 (statistical codes 31, 32, 33, 34, 35, 36 and 37), 7306.61.00 (statistical codes 21, 22 and 25) and 7306.69.00 (statistical code 10) in Schedule 3 of the Customs Tariff Act 1995.

and

Certain hollow structural sections (the goods) classified to tariff subheadings 7306.50.00 (statistical code 45) and 7306.61.00 (statistical code 90) exported from:

- *China by Dalian Steelforce Hi-Tech Co.*
- *China by Tianjin Friend Steel Pipe Co., Ltd*
- *China by Tianjin Ruitong Iron and Steel Co., Ltd*
- *China by Roswell S A R L Limited*
- *Malaysia by Alpine Pipe Manufacturing SDN BHD.*

and

Certain electric resistance welded pipe and tube made of carbon or other alloy steel classified to tariff subheading 7308.90.00 (statistical code 65), comprising circular and non-circular hollow structural sections (HSS), including circular or oval hollow sections (CHS) with other than plain ends, such as threaded, swaged and shouldered, and any sections with holes (including those created by drilling, punching, piercing, cutting or otherwise) at the end of the section or along its length (or both).

Notice under section 269TJ(2)

Certain hollow structural sections (the goods) classified to tariff subheadings 7306.30.00 (statistical codes 31, 32, 33, 34, 35, 36 and 37), 7306.61.00 (statistical codes 21, 22 and 25) and 7306.69.00 (statistical code 10) in Schedule 3 of the Customs Tariff Act 1995.

and

Certain hollow structural sections (the goods) classified to tariff subheadings 7306.50.00 (statistical code 45) and 7306.61.00 (statistical code 90) exported from:

- China by Dalian Steelforce Hi-Tech Co.;
- China by Tianjin Friend Steel Pipe Co., Ltd;
- China by Tianjin Ruitong Iron and Steel Co., Ltd;
- China by Roswell S A R L Limited.

and

Certain electric resistance welded pipe and tube made of carbon or other alloy steel classified to tariff subheading 7308.90.00 (statistical code 65), comprising circular and non-circular hollow structural sections (HSS), including circular or oval hollow sections (CHS) with other than plain ends, such as threaded, swaged and shouldered, and any sections with holes (including those created by drilling, punching, piercing, cutting or otherwise) at the end of the section or along its length (or both).

Finish types

- Galvanised (including in-line galvanised (ILG), pre-galvanised or hot-dipped galvanised (HDG)); or
- Non-galvanised (including, but not restricted to, painted, black, lacquered or oiled finishes).

Sizes

- Circular products – outside diameter exceeding 21 mm up to and including 165.1 mm; or
- Oval, square and rectangular products – perimeter up to and including 1277.3 mm; that may also be categorised according to minimum yield strength, the most common classifications being 250 and 350 mega Pascals (MPa).

The following are excluded from measures, exemption type “GOODS” applies:

- Conveyor tube made for high-speed idler rolls on conveyor systems with inner and outer fin protrusions removed by scarfing; (not exceeding 0.1 mm on outer surface and 0.25 mm on inner surface), and out of round standards (i.e. ovality) which do not exceed 0.6 mm in order to maintain vibration free rotation and minimum wind noise during operation;
- Precision RHS with a nominal thickness of less than 1.6 mm; and
- Air heater tubes to AS 2556.

Ministerial Exemption Instrument No 1 of 2016

IDD and ICD do not apply to goods subject to [Tariff Concession Order \(TCO\) 1609617](#) with an effective date of 16 February 2016.

- Tubes, square or rectangular, electric resistance welded, complying with Australian/New Zealand Standard 1163:2009 (AS/NZS 1163:2009), Grade C350L0 OR C450L0, with a perimeter not less than 1,050 mm and having either:
 - o silicon content plus 2.5 times the phosphorus content NOT greater than 0.09%;
 - o silicon content greater than 0.14% and NOT greater than 0.24%

[Ministerial Exemption Instrument No 3 of 2021](#) effective from 14 May 2020

Electrical Resistance Welded Hot-dip Galvanised Shouldered Pipe produced in accordance with American Petroleum Institute Standard Specification 5L. The steel grade for the pipe and the shoulder rings that are welded to both ends of the pipe is API 5L Grade B PSL1. A full penetration fillet weld secures the rings to the ends of the pipe. Following welding, the full length of shouldered pipe is hot-dip galvanised to a minimum zinc coating thickness of 300 g/m².

The exemption goods are also specified according to the following dimensions:

- Outer diameter (mm): 165.1
 - o ends tolerance (mm): -0.4, +1.6
 - o Wall thickness (mm): 2.5 ± 0.32
- Ring and shoulder:
 - o Nominal ring thickness (mm): 4.8 ± 0.15
 - o Shoulder outside diameter (mm): 174.5 ± 0.8
 - o Ring length (mm): 17.5 ± 0.4
 - o Maximum out of square (mm): 1.0
- Length not less than 6,000 mm and not greater than 6,500 mm with a tolerance of -50 mm, +20 mm.

The application states that the exemption goods are generally classified to tariff subheading 7306.30.00 of Schedule 3 to the Customs Tariff Act 1995.

For more information about the Ministerial Exemption Instrument please refer to Report [EX0079](#)

[Ministerial Exemption Instrument No 5 of 2022](#) effective from 29 September 2021

Curtain rods with:

- 25mm outside diameter in 0.5mm gauge/wall thickness in both powder coated (White/Ivory/Black) and electroplated (Brushed Chrome).
- 32mm outside diameter in 0.7mm gauge/wall thickness in electroplated finish (Brushed Chrome).

The curtain rods come in lengths 2.0m and 3.0m, and are individually heat/shrink wrapped and labelled. The curtain rods are made of A class hot-rolled strip metal comprising of 0.12% carbon and are made using a roll forming process and a longitudinal welding technique.

For more information about the Ministerial Exemption Instrument please refer to Report [EX0087](#)

[Ministerial Exemption Instrument No 1 of 2023](#) effective from 6 April 2022

STEEL ELECTRIC RESISTANCE WELDED PIPE, CIRCULAR, EN10305 Standard,

cold drawn, in the following sizes:

69 mm Outside Diameter x 57 mm Inside Diameter, Wall Thickness 6.0 mm
 83 mm Outside Diameter x 70 mm Inside Diameter, Wall Thickness 6.5 mm
 89 mm Outside Diameter x 79 mm Inside Diameter, Wall Thickness 5.0 mm
 101 mm Outside Diameter x 88 mm Inside Diameter, Wall Thickness 6.2 mm
 114 mm Outside Diameter x 101 mm Inside Diameter, Wall Thickness 6.5 mm
 120 mm Outside Diameter x 107 mm Inside Diameter, Wall Thickness 6.5 mm
 139 mm Outside Diameter x 127 mm Inside Diameter, Wall Thickness 6.0 mm
 152 mm Outside Diameter x 127 mm Inside Diameter, Wall Thickness 12.5 mm

165 mm Outside Diameter x 152 mm Inside Diameter, Wall Thickness 6.5 mm

And having all of the following specifications and confirmed on mill certificates:

- Length ranging from 5.8 metres to 8.9 metres, and;
- Surface roughness (Ra) no greater than 1.6 micrometres, and;
- Outside and inside diameter tolerance no greater than ± 0.25 mm, and;
- E355-SR grade steel, cold drawn and stress relieved in a controlled Atmosphere

For more information about the Ministerial Exemption Instrument please refer to Report [EX0092](#)

[Ministerial Exemption Instrument No 3 of 2023](#) effective from 1 November 2022

Curtain rods meeting the below specification and finishes:

- 25 mm outer diameter (circular), 1.0 mm wall thickness, polished chrome electroplated finish
- 30 x 15 mm dimension (oval), 1.0 mm wall thickness, polished chrome electroplated finish

The exemption goods are comprised of cold-rolled strip metal, which is longitudinally welded, cut to length, polished, and then chrome electroplated. The material composition is iron steel, ~0.8% carbon.

The curtain rods come in the following lengths:

- 25 mm outer diameter (circular): 900 mm, 1200 mm, 1800 mm, 2400 mm, 2700 mm and 3600 mm
- 30 x 15 mm dimension (oval): 1800 mm, 2400 mm and 3600 mm

Packaging/product labelling: tubes are individually sleeved and barcoded, and packaged (bundles of 5 pieces for 25 mm OD (circular), bundles of 10 for 30 x 15 mm (oval)) within rectangular cardboard cartons with an outer carton GTIN barcode.

For more information about the Ministerial Exemption Instrument please refer to Report [EX0096](#)

[Ministerial Exemption Instrument No 2 of 2024](#) effective from 22 December 2023

Steel electric resistance welded pipe, circular, seamless, JIS G3445 Standard, cold drawn, internally grooved, in the following sizes:

- 51.0 mm Outside Diameter x 47.0 mm Inside Diameter, Wall Thickness 2.0mm
- 63.5 mm Outside Diameter x 59.5 mm Inside Diameter, Wall Thickness 2.0mm
- 76.2 mm Outside Diameter x 72.2 mm Inside Diameter, Wall Thickness 2.0mm

Having all of the following specifications:

- Length ranging from 4.0 metres to 5.8 metres or from 5.8 metres to 8.9 metres;
- Surface roughness (Ra) no greater than 1.6 micrometres;
- Outside and inside diameter tolerance no greater than ± 0.1 mm;
- Straightness tolerance 0.1mm; and
- E355-SR grade steel (JIS G3445 STKM 11A-E-C), cold drawn and stress relieved in a controlled atmosphere.

For more information about the Ministerial Exemption Instrument please refer to Report [EX0099](#)

For more information about the description of the goods subject to measures, please refer to Final Reports [REP 419](#) and [REP 291](#).

Tariff Concession Orders (TCOs)

Goods subject to [Tariff Concession Orders \(TCOs\)](#) imported into Australia will be automatically exempt from dumping duty and/or countervailing duty. For more information on this exemption, refer to [ADN 2026/135](#) and its accompanying fact sheets.

Please Note:

- When importing goods into the country importers are required to self-assess whether the goods meet the goods description outlined above and whether the anti-dumping measures description apply.
- Australian Trade Remedies Commission is not in a position to provide advice on whether certain goods meet the description above.
- The use of exemption types is subject to monitoring by the Australian Trade Remedies Commission and the Australian Border Force.

3. What tariff classifications and statistical codes are covered by the anti-dumping measures?

Goods subject to measures should be classified using the classification and associated statistical codes below:

Tariff Classification	Statistical code
7306.30.00	31, 32, 33, 34, 35, 36, 37
7306.61.00	21, 22, 25
7306.69.00	10
7308.90.00	65
7306.50.00*	45*
7306.61.00*	90*

* The tariff classifications (7306.50.00 and 7306.61.00) **only** apply to the following exporters/suppliers:

- Dalian Steelforce Hi-Tech Co. (China);
- Tianjin Friend Steel Pipe Co. Ltd (China);
- Tianjin Ruitong Iron and Steel Co. Ltd (China);
- Roswell S A R Ltd (China); and
- Alpine Pipe Manufacturing SDN BHD (Malaysia).

For all other exporters/suppliers not listed above using the tariff classifications (7306.61.00 (90) and 7306.50.00 (45)) the exemption type 'SUPPLIER' should be used.

These tariff classifications and statistical codes may apply to goods which are not subject to measures, may change because of amendments to the Working Tariff or the subject goods may be imported under tariff classification numbers that are not listed.

The listing of this tariff classification and statistical code is for convenience or reference only and does not form part of the goods description. Please refer to the goods description for authoritative detail regarding goods subject to measures.

Where importers are unclear on the correct tariff classification of their goods, it is recommended they check the [Working Tariff page](#) on the ABF website or contact the ABF on 131 881.

4. How much Interim Dumping Duty (IDD) will an importer have to pay?

Use the applicable method listed in the exporters dumping specification number (DSN)

IDD – (combination)

IDD or dumping securities (DSA) is in the form of a fixed and variable measure. The total IDD/DSA liability is calculated as follows:

- fixed component of IDD/DSA: dumping export price (DXP) or ascertained export price (AEP), whichever is the greatest, multiplied by the applicable IDD/DSA ad valorem duty rate; plus
- variable component of IDD/DSA: the amount, if any, by which the DXP is lower than the AEP.

IDD (Ad Valorem)

IDD is in the form of an ad valorem measure. The total IDD liability is calculated by multiplying the dumping export price (DXP) by the applicable IDD ad valorem duty rate.

IDD – Floor Price

IDD is in the form of a floor price measure. The total IDD liability is the amount by which the DXP (the unit price per unit type) is lower than the floor price.

ICD

The ICD or countervailing securities (CSA) liability is calculated by multiplying the DXP by the ICD ad valorem duty rate

Example of how to calculate the IDD liability

Combination of Fixed and Variable measures

The following is an example of how to calculate the IDD fixed and variable liability.

- DXP = AUD \$1,000 (Free-On-Board (FOB), cash)
- AEP = AUD \$2,000 (FOB, cash)
- IDD ad valorem rate = 10%

Fixed component of IDD:

The higher of the DXP (\$1,000) or AEP (\$2,000) multiplied by the IDD ad valorem rate (10%)
 $\$2,000 \times 10\% = \200

Variable component of IDD:

the amount, if any, by which the DXP (\$1,000) is lower than the AEP (\$2,000)
 $\$2,000 - \$1,000 = \$1,000$

Total IDD liability: \$1,200 (\$200 + \$1,000)

Ad valorem measure

The following is an **example** of how to calculate the IDD liability.

- DXP = AUD \$1,000 (Free-On-Board (FOB), cash)
- IDD ad valorem rate = 10%

Total IDD liability

The DXP (\$1,000) multiplied by the IDD ad valorem rate (10%) - $\$1,000 \times 10\% = \100

5. What is the dumping export price (DXP) and how do I calculate it?

The DXP refers to the actual export price of the exported goods. The DXP should reflect the total export (invoice) price of the goods being entered, not the unit price of the goods.

The DXP should be recorded on the relevant Full Import Declaration for the goods in the same terms as the export terms for the goods. Calculating the DXP may involve adjusting the actual export invoice price of the goods to the terms specified.

For example, if the export terms are “FOB, cash” and the actual invoice terms of the goods are “CIF, 60 days, packed”, the following adjustments will need to be made in order to calculate the DXP at FOB, cash level.

- step 1 - an adjustment for interest on credit terms will need to be made; and
- step 2 - the overseas freight and insurance components will need to be subtracted from the export invoice price.

Where suitable evidence cannot be proffered by the importer of the interest rate, then 1.0% per month (0.033% per day) should be applied to the actual invoice price credit terms.

An example of adjusting for credit and incoterms is provided below:

- Invoice terms = CIF, 60 days
- Specified terms = FOB, cash
- Marine insurance and ocean freight amount = \$100

Step 1 - adjust for credit terms

1. 1% per month interest rate should be applied to the invoiced price credit terms (i.e. 30 days = 1%)
2. If the invoiced CIF, 60 days price is \$1,000, then the CIF, cash price = \$980 (\$1,000 less 2%)

Step 2 - adjust for incoterms

3. Adjust for freight and insurance to calculate DXP at FOB, cash equivalent
4. CIF, cash price of \$980 minus freight and insurance amount of \$100 = \$880

The DXP price = \$880 FOB, cash.

6. Will securities collected on my imports be converted to measures?

- Securities taken in will be either cancelled or converted to IDD and/or ICD measures.
- The ABF will contact each affected importer/broker and provide relevant cancellation and/or conversion instructions for each consignment subject to security undertakings.

7. What Dumping Specification Number (DSN) do I use and what are the rates for my exporter?

The following DSNs apply to goods exported from **China** entered for home consumption on or after **4 July 2022**:

Exporter Name	CCID	DSN	Measure	Measure Type	Effective Rate of Duty	Ascertained Export / Floor Price (per Tonne)	Export Price terms
CHINA							
Huludao City Steel Pipe Industrial Co. Ltd supplied directly or through: Shanghai Minmetals Materials & Products Corp; or Tianjin Ruitong Huaxing International Trade Co. Ltd; or Thomas Trading (Aust) Pty Ltd	CCL6476434H CCC7963996X CCH4794676H CFA3333669Y CFE4644347M	271	IDD	Combination	30.4%	Confidential	FOB, cash
Dalian Steelforce Hi-Tech Co. Ltd supplied directly or through: Steelforce Trading Pty Ltd	CCJ9649694M 40110146515 CEC4946673N	272	IDD	Combination	9.4%	Confidential	FOB, cash
Tianjin Youfa International Trade Co Ltd supplied directly or through: Tianjin Youfa Steel Pipe Group Co., Ltd. No.1 Branch Company; or Tianjin Youfa Steel Pipe Group Co., Ltd. No.2 Branch Company; or Tangshan Youfa Steel Pipe Manufacture Co., Ltd; or Tangshan Zhengyuan Steel Pipe Co., Ltd	CFC3979343T CEM3949797X	273	IDD & ICD	Combination	9.4%	Confidential	FOB, cash
Hengshui Jinghua Steel Pipe Co Ltd	CFE9379439C	274	IDD & ICD	Combination	9.4%	Confidential	FOB, cash
Tianjin Ruitong Iron & Steel Co Ltd supplied directly or through: Tianjin Ruitong Huaxing International Trade Co. Ltd	CEC6973947C CFA3333669Y	275	IDD & ICD	Combination	9.4%	Confidential	FOB, cash
Jiangsu JinRun Intellegent Equipment Co., Ltd	CHP7746663H	284	DSA & CSA	Combination	48.3%	Confidential	FOB, cash

Jiangsu Youli Intelligent Equipment Co Ltd	CJP4449976T	285	DSA & CSA	Combination	48.3%	Confidential	FOB, cash
China Custom Manufacturing, Ltd.	CJP4733497E	286	DSA & CSA	Combination	48.3%	Confidential	FOB, cash
Yueqing Yihua New Energy Technology Co., Ltd	CFW3963799H	287	DSA & CSA	Combination	48.3%	Confidential	FOB, cash
Suzhou Baojia New Energy Technology Co Ltd	CJN9373479L	288	DSA & CSA	Combination	48.3%	Confidential	FOB, cash
Exporter Name		DSN	Measure	Measure Type	Effective Rate of Duty	Ascertained Export / Floor Price (per Tonne)	Export Price terms
All other exporters		276	IDD & ICD	Combination	48.3%	Confidential	FOB, cash

The following DSNs apply to goods exported from **Korea, Taiwan** and **Malaysia** entered for home consumption on or after **4 July 2022**:

Exporter Name	CCID	DSN	Measure	Measure Type	Effective Rate of Duty	Ascertained Export / Floor Price (per Tonne)	Export Price terms
KOREA							
Kukje Steel Co Ltd supplied directly	CCC4733934F	EXEMPT					
Kukje Steel Co Ltd supplied through: Hyosung Corporation; or Sunjin Co.Ltd; or Duferco SA; or Duferco Asia Pte Ltd	CCC4733934F CEJ7347667P CEM7399676R CCH3749967W CFN6939399W	277	EXEMPT Importers entering goods manufactured by Kukje Steel Co Ltd and supplied indirectly through these traders are to use this DSN. A zero duty liability will be calculated.				
Hi-Steel Co Ltd	CCH6694493W CCF4949939X	EXEMPT					
Nexteel Co., Ltd	CJK7979464G	285	IDD	Floor Price	N/A	Confidential	FOB, cash

All other exporters		278	IDD	Combination	13.8%	Confidential	FOB, cash
TAIWAN							
Tension Steel Industries Co. Ltd Supplied directly or through: Duferco Asia PTE LTD United Steel Global Trading Corporation	CCN6773799W CFN6939399W CGN9444377G	280	IDD	Floor Price	N/A	Confidential	FOB, cash
Ta Fong Steel Co. Ltd	CEE4439497P CCL7999444L	281	IDD	Floor Price	N/A	Confidential	FOB, cash
Shin Yang Steel Co. Ltd	CEF3479347X	282	IDD	Floor Price	N/A	Confidential	FOB, cash
All other exporters		283	IDD	Combination	23.5%	Confidential	FOB, cash
MALAYSIA							
All Exporters		279	IDD	Combination	20.8%	Confidential	FOB, cash

Please Note:

- IDD ad valorem rates, floor price and AEP are considered confidential. Please see below on how importers can request the rates.
- The actual duty liability may be higher than the effective rate of duty published due to the variable component of IDD.

How do I lodge an entry for goods subject to dumping security?

In order to lodge an import declaration for goods subject to securities the importer or their broker must obtain a Security ID. The security is in the form of an undertaking or promise to pay should the Minister decide to impose measures at the completion of the investigation. The National Temporary Imports and Securities (NTIS) section of the Australian Border Force manages the operation of securities and granting of a Security ID. Importers/brokers will need to complete and submit a dumping security undertaking form when lodging an import declaration for goods subject to the securities. Please email NTIS@abf.gov.au for the form and further instructions. Information regarding this can also be found in the DCR.

8. How do I find out the confidential rate and ascertained export price for my exporter?

The IDD ad valorem rate, floor price and the AEP for each DSN are considered confidential and will not be published. Importers of these goods may be provided with the confidential IDD and the AEP, however the onus is on the importer to substantiate their commercial relationship with an exporter/supplier of their goods by providing evidence of:

- A previous trading history with a nominated exporter/supplier of the goods. Evidence of a trading history would take the form of at least commercial invoices, packing list and bills of lading from previous shipments. Additional documentation may be requested by the Commission; or
- In the absence of a trading history, an offer or a quotation from an exporter/supplier of goods subject to dumping/countervailing measures. The offer or quotation must be on the exporter/supplier's company letterhead.

Requests and evidence should be sent to clientsupport@atrc.gov.au

Please note:

- Any requests for the confidential information that do not include sufficient evidence as outlined above will be rejected.
- Only as much of the confidential information as is necessary to enter the goods will be provided.

9. What information is needed to complete an import declaration for goods subject to measures?

The information required by an importer or Customs broker to complete an import declaration for goods subject to IDD/ICD is:

- DXP;
- Dumping Specification Number (DSN) or exemption type (where appropriate);
- Country (this is usually country of origin or export country);
- Tariff classification and statistical code;
- Exporter / supplier; and
- Quantity.

Please see tables in Question 6 to determine which DSN applies to the exporter of your goods.

10. What are the duty assessment importation and application period dates?

An importer of goods on which an IDD has been paid, may lodge an application with the Commissioner requesting that the Minister make an assessment of the final liability of those goods to duty.

This usually occurs when an importer considers that the IDD paid in respect of goods exceed the total amount payable (i.e. importers consider they are entitled to a refund of duties). In relation to IDD, an importer may consider that the dumping margin for the goods is now less than it was during the investigation period, or that its exporter is no longer dumping, and as a result it has paid more duty than it should have paid.

There are a series of time frames fixed by legislation that govern the duty assessment system (referred to as importation periods).

The duty assessment importation periods and application dates for **China, Korea, Malaysia** and **Taiwan** are:

Importation Period	Application Period
3 July 2024 – 2 January 2025	3 January 2025 – 2 July 2025
3 January 2025 – 2 July 2025	3 July 2025 – 2 January 2026
3 July 2025 – 2 January 2026	3 January 2026 – 2 July 2026
3 January 2026 – 2 July 2026	3 July 2026 – 2 January 2027
3 July 2026 – 2 January 2027	3 January 2027 – 2 July 2027
3 January 2027 – 2 July 2027	3 July 2027 – 2 January 2028

*Applications must be received by the commission as per [Trade Remedies Notice 2024/075](#).

More information about duty assessments is available on the [Australian Trade Remedies Commission website](#).

11. DCR changes including links to key reports and notices for measures on hollow structural sections?

Date Published	Description	Report	TRN
3 Jul 2012	Measures imposed on China, Korea, Malaysia and Taiwan	Final report REP 177	2012/31
26 Nov 2015	Exemption of certain goods following Exemption Inquiry	Final report EX0044	2016/116
18 Mar 2016	Goods description varied following Anti-Circumvention Inquiry	Final Report REP 291	2016/24
3 Jul 2017	Continuation of Measures imposed on China, Korea, Malaysia and Taiwan	Final report REP 379	2017/70
6 Apr 2018	Amendment to measures for Dalian Steelforce and Tianjin Youfa Steel following ADRP review		
16 May 2018	Addition of supplier, Duferco Asia Pte Ltd to Manufacturer, Kukje Steel Co. Ltd		
6 Jun 2018	Measures varied on China, Korea, Malaysia and Taiwan following Review of Measures	Final Report REP 419	2018/74
13 Jul 2018	Measures varied on China following Review of Measures	Final report REP 285A	2018/85
15 Aug 2018	Measures amended for Tianjin Youfa Steel Pipe Group, Zhejiang Kingland Pipeline, Bazhou Dongfang Steel Factory and All other Exporters (China).		
20 May 2019	Amendment of measures for Tianjin Youfa International and Dalian Steelforce following the conclusion of ADRP case 88.		
26 Aug 2020	Addition of supplier, Changsha City Wangcheng Area Foreign Economic		
12 Mar 2021	Measures varied on China following Review of Measures.	Final Report REP 529	2021/011
19 Apr 2021	Measures varied following ADRP Review	ADRP Report REP 88A	
16 Jun 2021	Addition of manufacturer/supplier relationship.		
17 Dec 2021	Exemption of certain goods following Exemption Inquiry	Final Report EX0079	2021/112
1 Jul 2022	Continuation of Measures imposed on China, Korea, Malaysia and Taiwan	Final Report REP 590	2022/049
30 Mar 2023	Exemption of certain goods following Exemption Inquiry	Final Report EX0092	2023/020
05 Mar 2024	Addition of manufacturer/supplier relationship. Tension Steel – Duferco Asia PTE LTD		
23 May 2024	Addition of manufacturer/supplier relationship. Tension Steel – United Steel Global Corporation		
5 Sept 2024	Exemption of certain goods following Exemption Inquiry	Final Report EX0099	2024/054

20 Apr 2026	Addition of measure Nexteel Co., Ltd regarding an accelerated review	Final Report REP 697	2026/047
6 Jun 2026	Goods description varied following Anti-Circumvention Inquiry	Final Report REP 685	2026/064