

Australian Government

Department of Industry, Science and Resources

National Measurement Institute

36 Bradfield Road, West Lindfield NSW 2070

# Interim Provisional Certificate of Approval NMI P6/4D/398

# VALID FOR VERIFICATION PURPOSES UNTIL 1 April 2023

Issued by the Chief Metrologist under Regulation 60 of the National Measurement Regulations 1999

This is to certify that an approval for use for trade has been granted in respect of the instruments herein described.

Mettler Toledo Model FreshWay FW-T 15D D Weighing Instrument

| submitted by | Mettler-Toledo Li         | mited |      |  |
|--------------|---------------------------|-------|------|--|
| -            | Unit 3, 220 Turner Street |       |      |  |
|              | Port Melbourne            | VIC   | 3207 |  |

**NOTE:** This Certificate relates to the suitability of the pattern of the instrument for use for trade only in respect of its metrological characteristics. This Certificate does not constitute or imply any guarantee of compliance by the manufacturer or any other person with any requirements regarding safety.

This approval has been granted with reference to document NMI R 76, *Non-automatic weighing instruments, Parts 1 and 2*, dated October 2015.

This approval is subject to review at the decision of the Chief Metrologist in accordance with the conditions specified in the document NMI P 106.

| Rev | Reason/Details  | Date     |
|-----|---|----------|
| 0   | Pattern provisionally approved – interim certificate issued | 14/10/22 |
|     |   |          |

# DOCUMENT HISTORY

# CONDITIONS OF APPROVAL

## General

Instruments purporting to comply with this approval shall be marked with pattern approval number 'NMI P6/4D/398' and only by persons authorised by the submittor (Note: The 'P' in the approval number may be a temporary marking).

It is the submittor's responsibility to ensure that all instruments marked with this approval number are constructed as described in the documentation lodged with the National Measurement Institute (NMI) and with the relevant Certificate of Approval and Technical Schedule. Failure to comply with this Condition may attract penalties under Section 19B of the National Measurement Act and may result in cancellation or withdrawal of the approval, in accordance with document NMI P 106.

Auxiliary devices used with this instrument shall comply with the requirements of General Supplementary Certificate No S1/0B.

#### Special Conditions of Approval: (Provisional Approval)

This approval is limited to 2 (two) instruments only, located at:

ALDI St Marys 410-422 Great Western Hwy, St Marys, NSW 2760

ALDI Glenmore Park Glenmore Pkwy, Glenmore Park, NSW 2745

The approval will remain provisional pending completion of satisfactory testing and evaluation.

In the event of unsatisfactory performance the approval may be cancelled (or altered).

The submittor shall implement such modifications as required by NMI. In the event that such modifications (if any are required by NMI) are not made to the satisfaction of NMI, this approval may be withdrawn.

#### Special Conditions of Approval

Certain aspects of this instrument (in particular transaction record printing formats) are able to be configured by the user. Whilst NMI believes that acceptable formats can be achieved for typical basic sales modes, it is also possible for the instrument to be configured to produce unacceptable formats, and use of some formats may be inappropriate for different sales modes. It is the responsibility of the user to ensure that acceptable and appropriate formats are used in any particular situation.

#### 1. Description of Pattern provisionally approved on 14/10/22

A Mettler Toledo model FreshWay FW-T 15D D class non-automatic selfindicating price-computing multi-interval weighing instrument with a verification scale interval ( $e_1$ ) of 0.002 kg up to 6 kg and a verification scale interval ( $e_2$ ) of 0.005 kg from 6 kg up to the maximum capacity of 15 kg. The minimum capacity is 0.04 kg.

Instruments are fitted with a 15.6 inch colour touchscreen operator display/keyboard mounted on a pole remote to the basework. The operator touchscreen consists of displays for presentation of tare, weight, unit price and price information, zero, and 'net' indicators.

Instruments are fitted with a pole-mounted printer, for printing of labels or tickets (#).

Instruments have unit price to \$99999.99/kg, price to \$1499999.99, a product look up (PLU) facility and an image and/or product description relating to PLU items may also be displayed.

Instruments may be fitted with output sockets (output interfacing capability) for the connection of auxiliary and/or peripheral devices; this may include wireless networking capabilities.

The instrument operates from mains AC power (100 - 240 V AC, 50/60 Hz).

(#) Refer to the Special Conditions of Approval in the certificate.

# TEST PROCEDURE No P6/4D/398

Instruments shall be tested in accordance with any relevant tests specified in the National Instrument Test Procedures.

# Maximum Permissible Errors

The maximum permissible errors are specified in Schedule 1 of the *National Trade Measurement Regulations 2009*.

## Tests

For multi-interval and multiple range instruments with verification scale intervals of  $e_1$ ,  $e_2$  ..., apply  $e_1$  for zero adjustment, and maximum permissible errors apply  $e_1$ ,  $e_2$  ..., as applicable for the load.

Signed by a person authorised by the Chief Metrologist to exercise their powers under Regulation 60 of the *National Measurement Regulations 1999.* 

**Darryl Hines** Manager Policy and Regulatory Services

~ End of Document ~